

0498 Restore Tile Adhesive

- **What is the base chemistry of 0498 Adhesive?** Premium acrylic emulsion polymer.
- **What odor does 0498 exhibit during application & cure?** Mild acrylic, ammoniacal odor. Odor-free @ full cure.
- **What is the VOC Content of 0498?** Calculated VOC of < 1.5%/wt, less than 25 g/L, less water & exempt solvents
- **Is 0498 CARB Compliant/VOC Compliant?** Yes.
- **Does 0498 contain any Prop 65 Ingredients?** Yes. (see MSDS)
- **What color is 0498 as supplied?** White to slightly off-white.
- **What is the recommended application temperature for 0498?** 40F to 90F.
- **What is the approximate tack free time?** Approximately 30 minutes.
- **Full cure?** About 72 hrs in normal atmospheric conditions
- **Full adhesive strength?** 21 to 28 days in most conditions.
- **Is 0498 freeze/thaw stable?** Yes – product passes a minimum of 3 F/T Cycles.
- **What is the recommended clean up solvent before cure?** Water.
- **Where can I find more technical information on this product?** MSDS & TDS on this website (www.reddevil.com).