

Safety Data Sheet

Issue Date: 09-Mar-2022

Revision Date: 09-Mar-2022

Version 1

1. IDENTIFICATION		
Product identifier		
Product Name	Painters Plus Caulk	
Other means of identification		
SDS #	RD-0236	
Recommended use of the chem	ical and restrictions on use	
Recommended Use	Architectural Coating.	
Details of the supplier of the sa	fety data sheet_	
Supplier Address		
Red Devil, Inc.		
4175 Webb Street		
Pryor, Oklahoma 74361		
www.reddevil.com		
Emergency telephone number		
Company Phone Number	918-825-5744	
	Fax: 918-825-5761	
Emergency Telephone	INFOTRAC 1-352-323-3500 (International)	
	1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Emergency Overview The prod	uct contains no substances which, at their given concentration, health.	, are considered to be hazardous to
Appearance White paste	Physical state Liquid	Odor Slight acrylic

Odor Slight acrylic

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Limestone	1317-65-3	30-60
Titanium dioxide	13463-67-7	1-5
Quartz	14808-60-7	0.1-1.0

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

(Titanium Dioxide and Quartz Silica Sand (Crystalline Silica)) Inhalation of particulates unlikely due to product's physical state.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment.	
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If symptoms persist, call a physician.	
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center if individual's condition declines or if symptoms persist.	
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. If symptoms persist, call a physician.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Direct contact with eyes may cause temporary irritation.	
Indication of any immediate medica	dication of any immediate medical attention and special treatment needed	
Notes to Physician	Provide general supportive measures and treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water fog. Alcohol resistant foam. Dry chemical or CO2.

Unsuitable Extinguishing Media Water jet.

Specific Hazards Arising from the Chemical

Product is not flammable.

Hazardous combustion products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.		
For Emergency Responders	Restrict access to spill area.		
Environmental precautions			

Environmental precautions Minimize use of water to prevent environmental contamination. Prevent spill or rinse from contaminating storm drains, sewers, soil or groundwater. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers.
Methods for Clean-Up	Sweep up absorbed material and shovel into suitable containers for disposal. Wash area with soap and water. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Keep out of the reach of children. Use with adequate ventilation. Wash face, hands and any exposed skin thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat. Protect from direct sunlight. Store away from incompatible materials.
Incompatible Materials	Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Limestone	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust	
1317-65-3		TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ respirable dust	
		(vacated) TWA: 15 mg/m ³ total		
		dust		
		(vacated) TWA: 5 mg/m ³		
		respirable fraction		
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³	
13463-67-7		(vacated) TWA: 10 mg/m ³ total	TWA: 2.4 mg/m ³ CIB 63 fine	
		dust	TWA: 0.3 mg/m ³ CIB 63 ultrafine,	
			including engineered nanoscale	
Quartz	TWA: 0.025 mg/m ³ respirable	TWA: 50 µg/m ³	IDLH: 50 mg/m ³ respirable dust	
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³ respirable	
		respirable dust	dust	
		: (250)/(%SiO2 + 5) mppcf TWA		
		respirable fraction		
		: (10)/(%SiO2 + 2) mg/m ³ TWA		
		respirable fraction		

Other Information

If product is sanded, appropriate respirator should be worn to avoid breathing dust. Preexisting respiratory disorders may be aggravated by exposure. If sanded, this material may generate silica / titanium dust. Inhaled silica / titanium has been classified by IARC as a human carcinogen (see section 11).

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Wear safety glasses with side shields (or goggles). Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Wear appropriate chemical resistant clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing".
Respiratory Protection	If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release. When workers are facing concentrations above the exposure limit they should use appropriate certified respirators.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid White paste White	Odor Odor Threshold	Slight acrylic Not determined
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas)	Values ~8.0 Not determined > 93.3 °C / 200 °F Not determined Not determined	<u>Remarks • Method</u>	
Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive	Not determined Not determined		
limits Vapor Pressure Vapor Density Relative Density	Not determined Not determined Not determined		
Water Solubility Solubility in other solvents Partition Coefficient	Soluble in water Not determined Not determined		
Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic Viscosity	Not determined Not determined Not determined Not determined		
Explosive Properties Oxidizing Properties Other information	Not determined Not determined		
VOC Content	< 5g/l		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Cures in the presence of moisture and releases a small amount of methanol.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Incompatible Materials. Excessive heat or cold.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	May cause temporary irritation on eye contact.
Skin Contact	Prolonged skin contact may cause temporary irritation.
Inhalation	Prolonged inhalation may be harmful.
Ingestion	May cause discomfort if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
13463-67-7			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Silica (quartz) is a possible carcinogen when it appears as a respirable dust. Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7		Group 2B		Х
Quartz 14808-60-7	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans **NTP (National Toxicology Program)** Known - Known Carcinogen **OSHA (Occupational Safety and Health Administration of the US Department of Labor)** X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document Oral LD50 78,078.0000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA_	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AICS
		Status		NCS					
Limestone	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Titanium dioxide	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Quartz	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Not determined

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Quartz - 14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	Х	X	Х
Titanium dioxide 13463-67-7	Х	X	Х
Quartz 14808-60-7	Х	Х	Х

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 0	Flammability Not determined Flammability 0	Instability Not determined Physical hazards 0	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	09-Mar-2022 09-Mar-2022 New product			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet