

# Material Safety Data Sheet

**#0240 (11287) Paint Texturizer  
Aggregate - 5 oz. Pouch**

MSDS No. 0007 Rev. 2

Emergency Phone No.  
(918)825-5744

## SECTION 1 – PRODUCT NAME & MANUFACTURER INFORMATION

PRODUCT NAME	Paint Texturizer Aggregate		
MANUFACTURER'S NAME & TELEPHONE NUMBER	Red Devil, Inc.	(918)825-5744	
STREET ADDRESS	4175 Webb Street		
CITY / STATE / ZIP	Pryor, OK 74361		

## SECTION 2 – COMPOSITION / HAZARDOUS INGREDIENTS

	%	TLV	PEL	UNITS
Amorphous Siliceous Mineral – Silicate (as Perlite) (93763-70-3)	100	10 **	15 ***	mg/m3
** TWA (particulate matter containing no asbestos & <1% crystalline silica)				
*** TWA (total dust); 5 mg/m3 TWA (respirable fraction)				
Non-hazardous ingredients*				
*Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200). Calculated VOC: 0%/wt. 0 g/L. CARB Compliance: Yes. Prop 65 Ingredients: Yes (See Section 16).				

## SECTION 3 – HAZARDS IDENTIFICATION

PRIMARY ROUTE(S) OF ENTRY	<input checked="" type="checkbox"/> Skin Contact	<input type="checkbox"/> Skin Absorption	<input checked="" type="checkbox"/> Eye Contact	<input checked="" type="checkbox"/> Inhalation	<input type="checkbox"/> Ingestion
EMERGENCY OVERVIEW	Causes severe eye irritation. Causes skin irritation. Causes respiratory tract irritation.				
EFFECTS OF OVEREXPOSURE	Prolonged & repeated exposure to excessive concentrations of product dust can cause chronic pulmonary disease. Dust contact w/ eyes may cause temporary scratchiness or redness. Product has not been classified as a carcinogen by NTP or IARC.				
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE	Pre-existing upper respiratory & lung diseases such as, but not limited to Bronchitis, Emphysema & Asthma.				

## SECTION 4 – FIRST AID MEASURES

SKIN CONTACT	Wash w/ soap & water. If irritation persists, seek medical attention. Remove contaminated clothing & wash before reuse.
EYE CONTACT	Flush eyes w/ water for @ least 15 minutes while holding eyelids open. Get immediate medical attention.
INHALATION	If symptoms develop, get fresh air. If symptoms persist, get medical attention.
INGESTION	Dilute w/ weak vinegar solution if available. If not, dilute w/ large quantities of water. Consult a physician if symptoms develop. Adverse health effects are not expected if swallowed.

### SECTION 5 – FIRE FIGHTING MEASURES

FLAMMABLE     Yes     No

EXTINGUISHING MEDIA    NA. Product will not burn.

FLASHPOINT (°F) & METHOD    NA	UPPER EXPLOSIVE LIMIT (% BY VOLUME)    NA
--------------------------------	---

LOWER EXPLOSIVE LIMIT (% BY VOLUME)    NA	AUTOIGNITION TEMPERATURE (°F)    NA
---	-------------------------------------

UNUSUAL FIRE & EXPLOSION HAZARDS    None unless noted below.

SPECIAL FIREFIGHTING PROCEDURES    None

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

PROCEDURES    Spills/Leaks: Carefully shovel or sweep up spilled material & place in suitable container for recycle or disposal. Dampen w/ water spray or use other methods to clean spill which avoid creating dust. Discard empty packaging promptly. Avoid excessive handling of empty packaging, which may result in unnecessary release of airborne particulates.

### SECTION 7 – HANDLING & STORAGE

HANDLING PROCEDURES & EQUIPMENT    Avoid contact w/ eyes, skin & clothing. Avoid creating & inhaling airborne dust or particulates. Avoid water reactive chemicals. Use only w/ adequate ventilation. Wash clothing before reuse. Equip mixers w/ dust covers. Provide respiratory protection if needed. **FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.**

STORAGE REQUIREMENTS    Store cool & dry. For professional use only. Keep out of children's reach.

### SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

RESPIRATORY    Avoid breathing dust. Use appropriate respirator if needed.

EYEWEAR    Avoid eye contact. Wear goggles or full-face respirator if needed.

CLOTHING / GLOVES    Avoid skin contact. Wear appropriate clothing & gloves if needed.

HYGENIC PRACTICES    Use good personal hygiene practices.

### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Dry	ODOR & APPEARANCE	Off-white free flowing aggregate. No odor.
SPECIFIC GRAVITY	NA	VAPOR DENSITY (AIR=1)	NA
EVAPORATION RATE	NA	BOILING RANGE (°F)	NA
pH	NA	SOLUBILITY IN WATER	UN
VAPOR PRESSURE (MM Hg)	NA	%/WT VOLATILE (TNV)	NA

### SECTION 10 – STABILITY AND REACTIVITY

STABILITY     Yes     No    Stable.

INCOMPATIBILITY     Yes     No    None known for this product.

CONDITIONS TO AVOID    None known for this product.

HAZARDOUS POLYMERIZATION/HAZARDOUS DECOMPOSITION PRODUCTS    Will not polymerize.

**SECTION 11 – TOXICOLOGICAL INFORMATION / CARCINOGENICITY**

ACGIH	UN
OSHA	No
IARC	Group 1: No. Group 2A: No. Group 2B: No.
NTP	Known: No. NTP Suspect: No.
DATA WITH POSSIBLE RELEVANCE TO HUMANS	Prolonged exposure to respirable crystalline silica (Quartz) has been associated w/ a lung cancer health risk in humans. Mutagenicity: NA. Teratogenicity: NA. Reproductive Toxicity: NA.

**SECTION 12 – ECOLOGICAL INFORMATION**

AQUATIC TOXICITY	No data available. Environmental Fate: No data available. Ecotoxicity: No data available.
------------------	---

**SECTION 13 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL EPA WASTE CODE IF DISCARDED (40CFR Sec.261)	Consult all regulations (federal, state & local) or a qualified waste disposal firm when characterizing waste or disposal. According to EPA code @ left, waste of this material is not defined as hazardous. Dispose of waste in accordance w/ all applicable regulations.
---	--

**SECTION 14 – TRANSPORT INFORMATION**

SPECIAL SHIPPING INFORMATION	Proper Shipping Name: NA. UN/NA: NA. Domestic Hazard Class: Nonhazardous. Surface Freight Classification: NA. Label/Placard Required: NA.
------------------------------	---

**SECTION 15 – REGULATORY INFORMATION**

CERCLA – SARA HAZARD CATEGORY	None present unless listed below.	U.S. STATE REGS	NA.
SARA 313/DSL	None present unless listed below.	TSCA	Yes. All chemicals listed or exempt.

**SECTION 16 – OTHER INFORMATION / SPECIAL PRECAUTIONS / LEGEND**

**Prop 65 (Known to the State of California to cause cancer):** Crystalline Silica may be present @ low levels (< 1%) in Perlite. HMIS Rating: Health: 1, Flammability: 0, Reactivity: 0, PPE: E. NFPA Rating: Health: 0, Flammability: 0, Reactivity: 0. Prolonged exposure to respirable Crystalline Silica (Quartz) has been associated w/ lung cancer health risk in humans; may be present @ low levels in Perlite raw material. WHMIS: Perlite (93763-70-3) not regulated. Canadian DSL: Yes (Listed). Canadian NDSL: No. European EINECS/ELINCS: No.

**LEGEND:** NA – Not Applicable, NE – Not Established, UN – Unavailable, VOC – Volatile Organic Compound, PEL – Permissible Exposure Limit (Listed Permissible Levels (PEL) are from U.S. Department of Labor OSHA Final Rule Limits (CFR 29 1910.1000); limits may vary between states. TLV – Threshold Limit Value, STEL – Short Term Exposure Limit, MSDS – Material Safety Data Sheet, ACGIH – American Conference of Governmental Industrial Hygienists, SARA – Superfund Amendments & Reauthorization Act of 1986, OSHA – Occupational Safety & Health Administration, HMIS – Hazardous Materials Identification System, NTP – National Toxicology Program, CEIL – Ceiling Exposure Limit, CASRN (CAS Number) – Chemical Abstracts Service Registry Number, TSCA – Toxic Substances Control Act

Reviewed By  Larry G. Brandon  VP Technology & General Manger  March 10, 2009

NAME TITLE DATE

The information contained herein has been developed based upon currently available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.