

Safety Data Sheet

Issue Date: 03-Nov-2021 Revision Date: 07-Aug-2025 Version 1

1. IDENTIFICATION

Product identifier

Product Name Devisil™ NC-350

Other means of identification

SDS # RD-0249

Product Code NC3500, NC3501, NC3505, NC3506

Recommended use of the chemical and restrictions on use

Recommended use Sealer/Adhesive.

Details of the supplier of the safety data sheet

Supplier Address Red Devil, Inc.

4175 Webb Street Pryor, Oklahoma 74361 www.reddevil.com

Emergency telephone number

Company Phone Number 918-825-5744

Fax: 918-825-5761

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Transparent Paste Odor Odorless

Classification

This chemical does not meet the hazardous criteria set forth by the OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Hydroxy-terminated Dimethyl siloxane	70131-67-8	65-85
Polydimethylsiloxane	63148-62-9	10-30
Silicon dioxide	7631-86-9	5-10
Petroleum distillates, hydrotreated middle	64742-46-7	1-5
Methyl tri(ethylmethylketoxime) silane	22984-54-9	0.1-1.0
Ethyl tri(ethylmethylketoxime) Silane	2224-33-1	0.1-1.0
Dibutyltin dilaurate	77-58-7	<0.1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin ContactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Ingestion Rinse mouth. Do not induce vomiting, unless directed by medical personnel. Never give

anything by mouth to an unconscious person. Drink 1 or 2 glasses of water. Get medical

attention if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation. Prolonged or repeated skin contact may result in dermatitis

(red, dry skin). Exposed individuals may experience eye tearing, redness and discomfort. Irritating to mouth, throat, and stomach if ingested. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. Overexposure to vapors during application and curing may mildly irritate respiratory tract and result in coughing and sneezing. The product contains a small amount of sensitizing substance which may provoke an allergic reaction among

sensitive individuals in contact with skin.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Provide general supportive measures and treat symptomatically. May aggravate

pre-existing skin disorders.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Alcohol resistant foam, carbon dioxide, or dry chemical. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Hazardous combustion products Carbon oxides. Silicon oxides. Formaldehyde. Nitrogen oxides (NOx).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

For Emergency Responders Restrict access to spill area.

Revision Date: 07-Aug-2025 RD-0249 - **DevisiI™ NC-350**

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Use absorbent material to contain spill.

Methods for Clean-Up Reclaim where possible. Sweep up absorbed material and shovel into suitable containers

for disposal. Wash area with soap and water. For waste disposal, see section 13 of the

SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Contaminated work clothing must not be allowed out of the workplace. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing vapors or mists. Obtain special instructions before use. Do not handle until all

safety precautions have been read and understood.

Conditions for safe storage, including any incompatibilities

Keep container closed & store in a cool, well-ventilated area. Avoid contact w/ water or **Storage Conditions**

moisture. Keep container from excessive heat & freezing. Store away from incompatible

materials. Store locked up.

Incompatible Materials Strong oxidizing agents. Water.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Silicon dioxide 7631-86-9	-	(vacated) TWA: 6 mg/m³ <1% Crystalline silica	TWA: 6 mg/m³; IDLH: 3000 mg/m³
		TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA	
Methyl tri(ethylmethylketoxime) silane 22984-54-9	-	TWA: 10 PPM	-
Dibutyltin dilaurate 77-58-7	TWA: 0.1 mg/m³ Sn STEL: 0.2 mg/m³ Sn pSk	TWA: 0.1 mg/m³ Sn (vacated) TWA: 0.1 mg/m³ Sn Sdv	TWA: 0.1 mg/m³; except Cyhexatin Sn IDLH: 25 mg/m³ Sn

Other Information If product is sanded, appropriate respirator should be worn to avoid breathing dust.

> Pre-existing respiratory disorders may be aggravated by exposure. If sanded, this material may generate titanium dioxide dust. Inhaled titanium dioxide has been classified by IARC

as a human carcinogen (see section 11).

Appropriate engineering controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the

exposure limit(s) outlined in the SDS.

Page 3 / 8

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionUse approved safety goggles or safety glasses. If necessary, refer to appropriate

regulations and standards. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Reference Wiley's "Quick Selection Guide

to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body

protection.

Respiratory Protection If mists or sprays are created, use appropriate respiratory protection. Oxygen levels below

19.5% considered IDLH by OSHA. In such instances, use full-facepiece pressure demand SCBA or a full facepiece, supplied air respirator w/ auxillary self-contained air supply. Refer

to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

Remarks • Method

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

No information available

AppearanceTransparent PasteOdorOdorlessColorVariousOdor ThresholdNot determined

<u>Property</u> <u>Values</u>

pH No data available
Melting point / freezing point No data available
Initial boiling point and boiling No data available

range

Flash point No data available
Evaporation rate Not determined
Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor Pressure Not determined Relative vapor density No data available **Relative Density** $1.02 \pm 0.03 \text{ g/ml}$ **Water Solubility** Soluble in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** No data available **Decomposition temperature** Not determined Kinematic viscosity Not applicable Not determined Dynamic viscosity **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Incompatible Materials. Excessive heat or cold. Moisture.

Incompatible materials

Strong oxidizing agents. Water.

Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Irritating to eyes.

Skin Contact Repeated skin contact may cause dermatitis.

Inhalation May cause irritation if inhaled.

Ingestion May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydroxy-terminated Dimethyl siloxane 70131-67-8	> 15400 mg/kg (Rat)	> 16 mL/kg (Rabbit)	> 8750 mg/m³ (Rat)7 h
Polydimethylsiloxane 63148-62-9	> 24 g/kg (Rat)	-	-
Silicon dioxide 7631-86-9	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5.01 mg/L (Rat)4 h
Petroleum distillates, hydrotreated middle 64742-46-7	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat)4 h
Ethyl tri(ethylmethylketoxime) Silane 2224-33-1	-	> 2009 mg/kg (Rat)	-
Methyl tri(ethylmethylketoxime) silane 22984-54-9	-	> 2000 mg/kg (Rat)	-
Dibutyltin dilaurate 77-58-7	= 45 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Silica (quartz) is a possible carcinogen when it appears as a respirable dust.

Chemical name	ACGIH	IARC	NTP	OSHA
Silicon dioxide		Group 3 - Unclassifiable as		
7631-86-9		to carcinogenicity in humans		
Dibutyltin dilaurate	A4 - Not Classifiable as a			
77-58-7	Human Carcinogen			

Legend

IARC (International Agency for Research on Cancer) Group 3 - Not classifiable as to its carcinogenicity to humans

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

 ATEmix (oral)
 12,056.50 mg/kg

 ATEmix (dermal)
 8,139.60 mg/kg

 ATEmix (inhalation-dust/mist)
 5.50 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Silicon dioxide	EC50: =440mg/L (72h,	LC50: =5000mg/L (96h,	EC50: =7600mg/L (48h,
7631-86-9	Pseudokirchneriella subcapitata)	Brachydanio rerio)	Ceriodaphnia dubia)
Petroleum distillates, hydrotreated		LC50: =35mg/L (96h, Pimephales	
middle		promelas)	
64742-46-7		LC50: >10000mg/L (96h,	
		Pimephales promelas)	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Dibutyltin dilaurate	4.44
77-58-7	

Other adverse effects

Not determined

Dana 0.17

13. DISPOSAL CONSIDERATIONS

Disposal methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Dibutyltin dilaurate 77-58-7	Toxic

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AIIC
		Status		NCS					
Silicon dioxide	Χ	ACTIVE	X	X	Χ	X	Χ	X	X
Ethyl	Х	ACTIVE	X	X	X	X	X	X	X
tri(ethylmethylketoxime) Silane									
Methyl tri(ethylmethylketoxime) silane	Х	ACTIVE	Х	Х	Х	Х	Х	X	Х
dimethylbis[(1-oxoneodecyl) oxy]stannane	Х	ACTIVE	X	Х	Х	X	X	X	X
Titanium dioxide	Х	ACTIVE	X	X	Χ	X	Χ	X	X
N-(3-(Trimethoxysilyl)propyl) ethylenediamine	Х	ACTIVE	X	Х	Х	Х	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Page 7 / 8

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Silicon dioxide		X	X
7631-86-9			

16. OTHER INFORMATION

NFPA Health hazards - Flammability - Instability - Special hazards - HMIS Health hazards - Flammability - Physical hazards - Personal protection -

Issue Date:03-Nov-2021Revision Date:07-Aug-2025Revision Note:Updated formula

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 8 / 8