

Safety Data Sheet

Issue Date: 16-Sep-2021	Revision Date: 17-Sep-2021	Version 1
1. IDENTIFICATION		
Product identifier Product Name	Red Devil Foam & Fill Landscape Adhesive Foam	
Other means of identification SDS #	RD-0230	
Product Code UN/ID No	0916 UN1950	
Recommended use of the chemic Recommended Use	al and restrictions on use Adhesive.	
Details of the supplier of the safe Supplier Address Red Devil, Inc. 4175 Webb Street Pryor, Oklahoma 74361 www.reddevil.com	ty data sheet	
Emergency telephone number Company Phone Number Emergency Telephone	918-825-5744 Fax: 918-825-5761 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	
2. HAZARDS IDENTIFICATION		
Appearance Black liquid	Physical state Aerosol	Odor Characteristic
<u>Classification</u>		

This SDS was created using the criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and is compliant with the Globally Harmonized System of Labeling and Classification of Chemicals (GHS).

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aerosols	Category 1
Gases under pressure	Compressed gas

Signal Word Danger

Hazard statements

Harmful if inhaled Causes skin irritation Causes serious eye irritation May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction May cause genetic defects Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Extremely flammable aerosol Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling In case of inadequate ventilation wear respiratory protection Contaminated work clothing must not be allowed out of the workplace Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Methylenediphenyl diisocyanate isomers (Polymeric MDI)	9016-87-9	30-45
Tris (1-chloro-2-propyl) phosphate	13674-84-5	5-15
Propane	68476-86-8	2.5-10
N-Butane	106-97-8	2.5-10
Dimethyl ether	115-10-6	2.5-10
Carbon Black	1333-86-4	0.2-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment. When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash skin thoroughly with mild soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If symptoms persist, call a physician.
Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center if individual's condition declines or if symptoms persist.
Ingestion	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	Causes skin and eye irritation. May cause respiratory irritation. May be harmful if swallowed. Overexposure by inhalation may cause CNS depression- drowsiness, dizziness, confusion or loss of coordination. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Indication of any immediate medical attention and special treatment needed	
Notes to Physician	In case of shortness of breath, give oxygen. Keep victim warm. Symptoms may be delayed.
	5. FIRE-FIGHTING MEASURES
Suitable Extinguishing Media Use extinguishing measures that are	appropriate to local circumstances and the surrounding environment.
Small Fire	Dry chemical or CO2.

Large Fire	Dry chemical, Foam.
	219 0110111041,1 041111

Unsuitable Extinguishing Media Water jet.

Specific Hazards Arising from the Chemical

Product is an extremely flammable aerosol.

Protective equipment and precautions for firefighters

In event of fire, cool tanks w/ water spray. Move containers from fire area if it can be done w/o risk. Self-contained breathing apparatus & full protective clothing must be worn.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Eliminate all ignition sources (no smoking, flares, sparks or flames in area). Local authorities should be advised if significant spillages can not be contained. Ensure adequate ventilation. Keep individuals away from & upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Remain upwind. Ventilate closed spaces prior to entering. Keep unnecessary personnel away. Keep out of low areas. Wear appropriate protective equipment/clothing during clean-up.
Environmental precautions	
Environmental precautions	Do not contaminate water. See Section 12 for additional Ecological Information.
Methods and material for containme	ent and cleaning up
Methods for Containment	Soak up and contain spill with an absorbent material. Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Reclaim where possible. Use non-sparking hand tools and explosion-proof electrical equipment. Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash face, hands and any exposed skin thoroughly after handling. In case of insufficient ventilation, wear suitable respiratory equipment. Contaminated work clothing must not be allowed out of the workplace. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Store locked up. Protect from sunlight. Store in a cool, dry, well-ventilated place.
Incompatible Materials	Strong oxidizing agents. Strong bases. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-Butane	STEL: 1000 ppm explosion	(vacated) TWA: 800 ppm	IDLH: 1600 ppm
106-97-8	hazard	(vacated) TWA: 1900 mg/m ³	TWA: 800 ppm
			TWA: 1900 mg/m ³
Carbon Black	TWA: 3 mg/m ³ inhalable	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
1333-86-4	particulate matter	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
			TWA: 0.1 mg/m ³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety glasses as a minimum for protection. Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Wear protective gloves and protective clothing. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.
General Hygiene Consideration	ns Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Aerosol Black liquid Black	Odor Odor Threshold	Characteristic Not determined
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Vapor Pressure Vapor Density Relative Density Water Solubility	Values_ Not determined Not determined Not determined Not determined Not determined Not determined S bar Not determined 16 - 22 kg/m ³ Not determined	<u>Remarks • Method</u>	

Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined
•	

< 2 g/l

Other information

VOC Content

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Reacts violently w/ some acids &/or bases.

Conditions to Avoid

Heat, flames and sparks. Keep out of reach of children.

Incompatible materials

Strong oxidizing agents. Strong bases. Strong acids.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation. May cause an allergic skin reaction.
Inhalation	Harmful if inhaled. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ingestion	May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical name Oral LD50		Dermal LD50	Inhalation LC50		
Methylenediphenyl diisocyanate isomers (Polymeric MDI) 9016-87-9	= 49 g/kg (Rat)	> 9.4 g/kg (Rabbit)	= 490 mg/m³(Rat)4 h		
Tris (1-chloro-2-propyl) phosphate 13674-84-5	= 1500 mg/kg(Rat)	> 5000 mg/kg (Rabbit)	> 5.05 mg/L (Rat)4 h		
N-Butane 106-97-8	-	-	= 658 g/m³(Rat)4 h		
Dimethyl ether 115-10-6	-	-	= 164000 ppm (Rat)4 h		

Carbon Black	> 15400 mg/kg (Rat)	-	> 4.6 mg/m³ (Rat)4 h
1333-86-4	· ·		

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Germ cell mutagenicity	May cause genetic defects.
Carcinogenicity	Suspected of causing cancer.

Chemical name	ACGIH	IARC	NTP	OSHA
Methylenediphenyl		Group 3		
diisocyanate isomers				
(Polymeric MDI)				
9016-87-9				
Carbon Black	A3	Group 2B		Х
1333-86-4				

Legend

 ACGIH (American Conference of Governmental Industrial Hygienists)

 A3 - Animal Carcinogen

 IARC (International Agency for Research on Cancer)

 Group 2B - Possibly Carcinogenic to Humans

 Group 3 IARC components are "not classifiable as human carcinogens"

 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present

 STOT - single exposure
 May cause respiratory irritation.

 STOT - repeated exposure
 May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	9,333.3333 mg/kg
Dermal LD50	21,967.50 mg/kg
Gas	2,768,083.30 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Tris (1-chloro-2-propyl) phosphate		30: 96 h Poecilia reticulata mg/L	63: 48 h Daphnia magna mg/L
13674-84-5	subcapitata mg/L EC50	LC50 static	EC50
	45: 72 h Desmodesmus subspicatus	56.2: 96 h Brachydanio rerio mg/L	
	mg/L EC50	LC50 static	
		98: 96 h Pimephales promelas mg/L	
		LC50 static	
Dimethyl ether		4.1: 96 h Poecilia reticulata g/L	
115-10-6		LC50 semi-static	

Persistence/Degradability Not determined.

Bioaccumulation

There is no data for this product.

<u>Mobility</u>

Chemical name	Partition coefficient
Tris (1-chloro-2-propyl) phosphate 13674-84-5	2.59
Propane 68476-86-8	2.8
N-Butane 106-97-8	2.89
Dimethyl ether 115-10-6	-0.18

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
	14. TRANSPORT INFORMATION		
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.		
<u>DOT</u> UN/ID No Proper Shipping Name Hazard class	Limited Quantity UN1950 Aerosols 2.1		
<u>IATA</u> UN number Proper Shipping Name Transport hazard class(es)	UN1950 Aerosols, flammable 2.1		
<u>IMDG</u> UN number Proper Shipping Name Transport hazard class(es)	UN1950 Aerosols 2.1		

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Methylenediphenyl diisocyanate isomers (Polymeric MDI)	X	ACTIVE	Х		Х	Х	Х	X	Х
Tris (1-chloro-2-propyl) phosphate	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Propane	Х	ACTIVE	Х	Х		Х	Х	Х	Х
N-Butane	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Dimethyl ether	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Carbon Black	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methylenediphenyl diisocyanate isomers (Polymeric MDI) - 9016-87-9	9016-87-9	30-45	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Carbon Black - 1333-86-4	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Methylenediphenyl diisocyanate	Х		
isomers (Polymeric MDI)			
9016-87-9			

RD-0230 - Red Devil Foam & Fill Landscape Adhesive Foam

N-Butane 106-97-8	X	X	Х
Dimethyl ether 115-10-6	X	X	Х
Carbon Black 1333-86-4	X	X	Х

16. OTHER INFORMATION

HMIS

Health Hazards Not determined Health Hazards Not determined Flammability Not determined Flammability Not determined Instability Not determined Physical hazards Not determined Special Hazards Not determined Personal Protection Not determined

Issue Date: Revision Date: Revision Note: 16-Sep-2021 17-Sep-2021 New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet