

# **Safety Data Sheet**

Issue Date: 03-Nov-2021 Revision Date: 03-Nov-2021 Version 1

# 1. IDENTIFICATION

Product identifier

Product Name Devisil™ NC250 - NC2500 series Clear, White, & Colors

Other means of identification

**SDS** # RD-0233

Recommended use of the chemical and restrictions on use
Recommended Use Adhesive, binding agents.

Details of the supplier of the safety data sheet

**Supplier Address** 

Red Devil, Inc. 4175 Webb Street Pryor, Oklahoma 74361 www.reddevil.com

Emergency telephone number

Company Phone Number 918-825-5744

Fax: 918-825-5761

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Various colored paste Physical state Paste Odor Slight

## Classification

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

## Signal Word Warning

## **Hazard statements**

Causes serious eye irritation
May cause an allergic skin reaction
Suspected of damaging fertility or the unborn child
May cause damage to organs through prolonged or repeated exposure





**Precautionary Statements - Prevention** 

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Revision Date: 03-Nov-2021

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

## **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Silicon dioxide	7631-86-9	>= 10 -< 20
Methyl tri(ethylmethylketoxime) silane	22984-54-9	>= 1 -< 5
Ethyl tri(ethylmethylketoxime) Silane	2224-33-1	>= 1 -< 5
Titanium dioxide	13463-67-7	>= 0.1 -< 1
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	>= 0.1 -< 1
dimethylbis[(1-oxoneodecyl)oxy]stannane	68928-76-7	>= 0.1 -< 1

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST AID MEASURES

## **Description of first aid measures**

**General Advice** Provide this SDS to medical personnel for treatment.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.

**Inhalation** Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Ingestion Rinse mouth. Do not induce vomiting, unless directed by medical personnel. Never give

anything by mouth to an unconscious person. Drink 1 or 2 glasses of water. Get medical

attention if you feel unwell.

Page 2 / 9

<sup>\*</sup> Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200). (Titanium Dioxide) Inhalation of particulates unlikely due to product's physical state.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Causes serious eye irritation. Prolonged or repeated skin contact may result in dermatitis

(red, dry skin). Exposed individuals may experience eye tearing, redness and discomfort. Irritating to mouth, throat, and stomach if ingested. May cause gastrointestinal irritation, nausea, diarrhea, and vomiting. Overexposure to vapors during application and curing may mildly irritate respiratory tract and result in coughing and sneezing. The product contains a small amount of sensitizing substance which may provoke an allergic reaction among

Revision Date: 03-Nov-2021

sensitive individuals in contact with skin.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Provide general supportive measures and treat symptomatically. May aggravate

pre-existing skin disorders.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Alcohol resistant foam, carbon dioxide, or dry chemical. Water spray (fog).

Unsuitable Extinguishing Media Not determined.

## **Specific Hazards Arising from the Chemical**

Not determined.

Hazardous combustion products Carbon oxides. Silicon oxides. Formaldehyde. Nitrogen oxides (NOx).

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Wear protective clothing as described in Section 8 of this safety data sheet.

For Emergency Responders Restrict access to spill area.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

## Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Use absorbent material to contain spill.

**Methods for Clean-Up**Reclaim where possible. Sweep up absorbed material and shovel into suitable containers

for disposal. Wash area with soap and water. For waste disposal, see section 13 of the

SDS.

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Contaminated work clothing must not be allowed out of the workplace. Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing vapors or mists. Obtain special instructions before use. Do not handle until all

Revision Date: 03-Nov-2021

safety precautions have been read and understood.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container closed & store in a cool, well-ventilated area. Avoid contact w/ water or

moisture. Keep container from excessive heat & freezing. Store away from incompatible

materials. Store locked up.

Incompatible Materials Strong oxidizing agents. Water.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silicon dioxide 7631-86-9	-	TWA: 50 μg/m³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 6 mg/m³ <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Methyl tri(ethylmethylketoxime) silane 22984-54-9	-	TWA: 10 PPM	-
dimethylbis[(1-oxoneodecyl)oxy]stannane 68928-76-7	STEL: 0.2 mg/m³ Sn TWA: 0.1 mg/m³ Sn S*	TWA: 0.1 mg/m³ Sn (vacated) TWA: 0.1 mg/m³ Sn (vacated) S*	IDLH: 25 mg/m³ Sn TWA: 0.1 mg/m³ except Cyhexatin Sn
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m³ TWA: 2.4 mg/m³ CIB 63 fine TWA: 0.3 mg/m³ CIB 63 ultrafine, including engineered nanoscale

Other Information If product is sanded, appropriate respirator should be worn to avoid breathing dust.

Pre-existing respiratory disorders may be aggravated by exposure. If sanded, this material may generate titanium dioxide dust. Inhaled titanium dioxide has been classified by IARC

as a human carcinogen (see section 11).

## Appropriate engineering controls

Engineering Controls Ventilation must be adequate to maintain the ambient workplace atmosphere below the

exposure limit(s) outlined in the SDS.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Use approved safety goggles or safety glasses. If necessary, refer to appropriate

regulations and standards. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Reference Wiley's "Quick Selection Guide

to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body

protection.

**Respiratory Protection** If mists or sprays are created, use appropriate respiratory protection. Oxygen levels below

19.5% considered IDLH by OSHA. In such instances, use full-facepiece pressure demand SCBA or a full facepiece, supplied air respirator w/ auxillary self-contained air supply. Refer

Revision Date: 03-Nov-2021

to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Paste

AppearanceVarious colored pasteOdorSlight

Color Various Odor Threshold Not determined

Property Values Remarks • Method

pH Not determined
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation Rate
Flammability (Solid, Gas)
Not determined
Not determined
Not determined
Not determined
Not determined
Not determined

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor Pressure Not determined Vapor Density Not determined

Relative Density 1.04

**Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined Autoignition temperature Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

## 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

## **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

## Conditions to Avoid

Incompatible Materials. Excessive heat or cold. Moisture.

Revision Date: 03-Nov-2021

## Incompatible materials

Strong oxidizing agents. Water.

## **Hazardous decomposition products**

Carbon oxides. Nitrogen oxides (NOx).

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye irritation.

**Skin Contact** May cause an allergic skin reaction. Prolonged and frequent contact may cause redness

and irritation. Repeated skin contact may cause dermatitis.

**Inhalation** May cause irritation if inhaled.

Ingestion May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silicon dioxide 7631-86-9	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2.08 mg/L (Rat)4 h
Ethyl tri(ethylmethylketoxime) Silane 2224-33-1	-	> 2009 mg/kg (Rat)	-
Methyl tri(ethylmethylketoxime) silane 22984-54-9	-	> 2000 mg/kg (Rat)	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
N-(3-(Trimethoxysilyl)propyl)ethylen ediamine 1760-24-3	= 2413 mg/kg (Rat)	> 2009 mg/kg (Rabbit)	-

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause an allergic skin reaction.

**Carcinogenicity** Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical name	ACGIH	IARC	NTP	OSHA
Silicon dioxide 7631-86-9		Group 3	Known	Х
Titanium dioxide 13463-67-7		Group 2B		X

#### Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

Page 6 / 9

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Revision Date: 03-Nov-2021

## **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

 Oral LD50
 32,830.2906 mg/kg

 Dermal LD50
 10,551.80 mg/kg

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Silicon dioxide	440: 72 h Pseudokirchneriella	5000: 96 h Brachydanio rerio mg/L	7600: 48 h Ceriodaphnia dubia mg/L
7631-86-9	subcapitata mg/L EC50	LC50 static	EC50

## Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

#### Mobility

Not tested for mobility in soil

## **Other Adverse Effects**

Not determined

## 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

## California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
dimethylbis[(1-oxoneodecyl)oxy]stannane	Toxic
68928-76-7	

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

D---- 7 /

#### 15. REGULATORY INFORMATION

Revision Date: 03-Nov-2021

## International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Silicon dioxide	Х	ACTIVE	Х	Х	Х	Х	Х	X	Х
Ethyl tri(ethylmethylketoxime) Silane	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Methyl tri(ethylmethylketoxime) silane	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
dimethylbis[(1-oxoneodecyl) oxy]stannane	Х	ACTIVE	Х	Х		Х		Х	Х
Titanium dioxide	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
N-(3-(Trimethoxysilyl)propyl) ethylenediamine	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### US State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Silicon dioxide - 7631-86-9	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Titanium dioxide	X	X	X
40400 07 7			
13403-07-7			

# **16. OTHER INFORMATION**

Revision Date: 03-Nov-2021

Instability NFPA **Health Hazards Flammability Special Hazards** Not determined Not determined Not determined Not determined **Health Hazards Flammability** Physical hazards **Personal Protection HMIS** Not determined Not determined Not determined Not determined

Issue Date:03-Nov-2021Revision Date:03-Nov-2021Revision Note:New format

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 9 / 9