## **STORM GUARD 920 CLEAR**



Version 1.1	Revision Date: 11/13/2016		DS Number: 19664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
SECTION	1. IDENTIFICATION			
Produ	uct name	:	STORM GUARD	920 CLEAR
Product code		:	0787	
Manufacturer or supplier's		deta	ails	
Com	pany name of supplier	:	Red Devil, Inc.	
Addre	ess	:	4175 Webb Stree Pryor, OK 74361	ot
Telep	phone	:	(918) 825-5744	
Emer	gency telephone	:	INFOTRAC 1-352 1-800-535-5053 (	2-323-3500 (International) (North America)
<b>D</b>				

### Recommended use of the chemical and restrictions on use

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accord	GHS classification in accordance with 29 CFR 1910.1200 Eye irritation : Category 2A				
Skin sensitization	:	Category 1			
Reproductive toxicity	:	Category 2			
Specific target organ syste- mic toxicity - repeated expo- sure (Oral)	:	Category 2 (Blood)			
GHS label elements Hazard pictograms	:				
Signal Word	:	Warning			
Hazard Statements	:	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs (Blood) through prolonged or repeated exposure if swallowed.			
Precautionary Statements	:	Prevention:			

### **STORM GUARD 920 CLEAR**



Version 1.1	Revision Date: 11/13/2016	-	DS Number: 19664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016		
		<ul> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P272 Contaminated work clothing must not be allowed out of the workplace.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection face protection.</li> </ul>				
			Response:			
			<ul> <li>P302 + P352 IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P308 + P313 IF exposed or concerned: Get medical advice/ attention.</li> <li>P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P363 Wash contaminated clothing before reuse.</li> </ul>			
			Storage:			
			P405 Store locke	ed up.		
			<b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.			
Othe	r hazards					
None	known.					
SECTION	3. COMPOSITION/INF	ORI	MATION ON INGR	EDIENTS		
Subs	tance / Mixture	:	Mixture			
Cherr	nical nature	: Silicone elastomer				

### Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Silicon dioxide	7631-86-9	>= 10 - < 20
Methyltri(ethylmethylketoxime)silane	22984-54-9	>= 1 - < 5
Vinyltri (methylethylketoxime) silane	2224-33-1	>= 1 - < 5
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	>= 0.1 - < 1
Methyltri(ethylmethylketoxime)silane isomers and oligomers	Not Assigned	>= 0.1 - < 1
Dimethylbis[(1-oxoneodecyl)oxy]stannane	68928-76-7	>= 0.1 - < 1

### SECTION 4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical

# **STORM GUARD 920 CLEAR**



Version 1.1	Revision Date: 11/13/2016	SDS Number: 4119664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
		advice imm When symp advice.	ediately. Moms persist or in all cases of doubt seek medical
lf ii	nhaled	: If inhaled, re Get medica	emove to fresh air. attention.
In o	case of skin contact	of water. Remove co Get medica Wash clothi	ontact, immediately flush skin with soap and plenty ntaminated clothing and shoes. I attention. ng before reuse. clean shoes before reuse.
In (	case of eye contact	for at least	o, remove contact lens, if worn.
lf s	wallowed	Get medica	d, DO NOT induce vomiting. I attention. h thoroughly with water.
and	st important symptoms d effects, both acute and ayed	Causes ser Suspected	an allergic skin reaction. ous eye irritation. of damaging the unborn child. damage to organs through prolonged or repeated swallowed.
Pro	otection of first-aiders	and use the	ponders should pay attention to self-protection, recommended personal protective equipment otential for exposure exists.
Not	tes to physician	: Treat sympt	omatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides Formaldehyde Nitrogen oxides (NOx)

# **STORM GUARD 920 CLEAR**



Versi 1.1		Revision Date: 11/13/2016		9S Number: 19664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
	Specific ods	extinguishing meth-	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.	
	Special for fire-fi	protective equipment ighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.
SEC	TION 6.	ACCIDENTAL RELE	ASE	EMEASURES	
t	tive equi	I precautions, protec- ipment and emer- rocedures	:	: Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.	
I	Environi	mental precautions	:	Prevent further lea Retain and dispos	environment must be avoided. akage or spillage if safe to do so. e of contaminated wash water. hould be advised if significant spillages ed.
	Methods and materials for containment and cleaning up		:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked materia can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.	

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not swallow. Do not get in eyes. Handle in accordance with good industrial hygiene and safety practice. Keep away from water. Protect from moisture. Take care to prevent spills, waste and minimize release to the environment.

# **STORM GUARD 920 CLEAR**



Version 1.1	Revision Date: 11/13/2016	SDS Number: 4119664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
Cond	itions for safe storage		y labeled containers. ance with the particular national regulations.
Mater	ials to avoid	: Do not store wit Strong oxidizing	th the following product types: g agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m³ (Silica)	NIOSH REL
Dimethylbis[(1- oxoneodecyl)oxy]stannane	68928-76-7	TWA	0.1 mg/m <sup>3</sup> (Tin)	OSHA Z-1
		TWA	0.1 mg/m <sup>3</sup> (Tin)	ACGIH
		STEL	0.2 mg/m <sup>3</sup> (Tin)	ACGIH
		TWA	0.1 mg/m <sup>3</sup> (Tin)	NIOSH REL

### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Methyl-	22984-54-9
tri(ethylmethylketoxime)silane	
Vinyltri (methylethylketoxime)	2224-33-1
silane	
N-(3-	1760-24-3
(Trimethoxysi-	
lyl)propyl)ethylenediamine	
Methyl-	Not Assigned
tri(ethylmethylketoxime)silane	-
isomers and oligomers	

# These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Silicon dioxide

### Occupational exposure limits of decomposition products

Ingredients	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	

# **STORM GUARD 920 CLEAR**



sion			SDS Number:Date of last issue: 06/23/20164119664-00002Date of first issue: 06/23/2016				
				exposure)	concentration		
Ethyl	methyl ketoxime		96-29-7	TWA	10 ppm	US WEEL	
Engiı	neering measures	:	10). Ensure adequ	uate ventilation	dous compounds (s , especially in confi e concentrations.		
Perse	onal protective equip	ment					
Resp	iratory protection	:	maintain vapo concentration unknown, app Follow OSHA use NIOSH/M by air purifyin hazardous ch supplied resp release, expo	or exposures be s are above re propriate respir respirator regu ISHA approved g respirators a memical is limite irator if there is sure levels are where air purit	entilation is recommended commended limits atory protection she ulations (29 CFR 19 d respirators. Protection gainst exposure to d. Use a positive plus any potential for us unknown, or any of fying respirators ma	d limits. Where or are ould be worn. 910.134) and ction provided any ressure air incontrolled other	
	protection aterial	:	Chemical-res	istant gloves			
Re	emarks	:	on the concert time is not de For special appresistance to gloves with the	ntration specific termined for th oplications, we chemicals of th	nds against chemic c to place of work. I e product. Change recommend clarify le aforementioned acturer. Wash hand rkday.	Breakthrough gloves often! ing the protective	
Eye p	protection	:	Wear the follo Safety goggle		protective equipme	ent:	
Skin a	and body protection	:	resistance da potential. Skin contact i	ta and an asse	e clothing based or essment of the local d by using impervic ots, etc).	lexposure	
Hygie	ene measures	:	located close When using of Wash contam These precau elevated temp	to the working to not eat, drin hinated clothing utions are for ro		andling. Use at	

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



Version 1.1	Revision Date: 11/13/2016		S Number: 19664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
Appe	earance	:	paste	
Colo	r	:	colorless	
Odo	r	:	slight	
Odo	r Threshold	:	No data available	9
pН		:	Not applicable	
Melti	ing point/freezing point	:	No data available	9
Initia rang	al boiling point and boiling le	:	Not applicable	
Flas	h point	:	Not applicable	
Evap	poration rate	:	Not applicable	
Flam	nmability (solid, gas)	:	Not classified as	a flammability hazard
Self-	ignition	:		mixture is not classified as pyrophoric. The ture is not classified as self heating.
Upp	er explosion limit	:	No data available	e
Low	er explosion limit	:	No data available	9
Vapo	or pressure	:	Not applicable	
Rela	tive vapor density	:	No data available	9
Rela	tive density	:	1.04	
	bility(ies) Vater solubility	:	No data available	e
	ition coefficient: n- nol/water	:	No data a∨ailable	e
Auto	ignition temperature	:	No data available	9
Dec	omposition temperature	:	No data available	9
	osity /iscosity, dynamic	:	Not applicable	
Expl	osive properties	:	Not explosive	
Oxid	lizing properties	:	The substance o	r mixture is not classified as oxidizing.
Mole	ecular weight	:	No data available	2



Version 1.1	Revision Date: 11/13/2016		S Number: 19664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016		
SECTIO	N 10. STABILITY AND RE	EAC	ΤΙΛΙΤλ			
Rea	activity	:	Not classified as	a reactivity hazard.		
Ch	emical stability	:	Stable under nor	mal conditions.		
Pos tior	ssibility of hazardous reac- is	:	Use at elevated temperatures may form highly hazardous compounds. Can react with strong oxidizing agents. Hazardous decomposition products will be formed upon con- tact with water or humid air. Hazardous decomposition products will be formed at elevated temperatures.			
Co	Conditions to avoid		Exposure to moisture.			
Inc	ompatible materials	: Oxidizing agents Water				
	zardous decomposition p ntact with water or humid	orod :	<b>ucts</b> Ethyl methyl ketc	oxime		
The	ermal decomposition	:	Formaldehyde			
SECTIO	N 11. TOXICOLOGICAL I	NFC	RMATION			
Ski Ing Eye Act Not	ormation on likely routes n contact estion e contact ute toxicity t classified based on availa iredients:					
Sili	con dioxide:					

Acute oral toxicity	LD50 (Rat): > 3,300 mg/kg Assessment: The substance or mixture has no acute oral tox- icity Remarks: Information taken from reference works and the literature.
Acute inhalation toxicity	LC50 (Rat): > 2.08 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: Information taken from reference works and the literature.

# **STORM GUARD 920 CLEAR**



sion	Revision Date: 11/13/2016	SDS Number: 4119664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
Acute	e dermal toxicity	toxicity	): > 5,000 mg/kg The substance or mixture has no acute dermal ormation taken from reference works and the
Meth	yltri(ethylmethylketo	oxime)silane:	
Acute	e oral toxicity	icity	<ul> <li>2,520 mg/kg</li> <li>The substance or mixture has no acute oral tox- basis of test data.</li> </ul>
Viny	ltri (methylethylketo)	kime) silane:	
-	e oral toxicity	LD50 (Rat): > Assessment: icity	2,000 mg/kg The substance or mixture has no acute oral tox- basis of test data.
Acute	e dermal toxicity	toxicity	<ul> <li>2,000 mg/kg</li> <li>The substance or mixture has no acute dermal</li> <li>basis of test data.</li> </ul>
N-(3-	-(Trimethoxysilyl)pro	pyl)ethylenediamin	9:
-	e oral toxicity	: LD50 (Rat): 2	
Acute	e inhalation toxicity		
Acute	e dermal toxicity	Assessment: toxicity	): > 2,000 mg/kg The substance or mixture has no acute dermal basis of test data.
Dime	ethylbis[(1-oxoneode	cyl)oxy]stannane:	
Acute	e oral toxicity	: LD50 (Rat): 8 Method: OEC	94 mg/kg D Test Guideline 401
Acute	e dermal toxicity		2,000 mg/kg D Test Guideline 402 The substance or mixture has no acute dermal

### Skin corrosion/irritation

Not classified based on available information.

### **STORM GUARD 920 CLEAR**



Version	Revision Date:	SDS Number:	Date of last issue: 06/23/2016
1.1	11/13/2016	4119664-00002	Date of first issue: 06/23/2016

### Ingredients:

#### Silicon dioxide:

Result: No skin irritation Remarks: Information taken from reference works and the literature.

#### Methyltri(ethylmethylketoxime)silane:

Species: Rabbit Result: No skin irritation Remarks: Based on data from similar materials

#### N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Species: Rabbit Result: Mild skin irritation Remarks: On basis of test data.

#### Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Ingredients:

#### Silicon dioxide:

Result: No eye irritation Remarks: Information taken from reference works and the literature.

#### Methyltri(ethylmethylketoxime)silane:

Species: Rabbit Result: Irritation to eyes, reversing within 7 days Remarks: On basis of test data.

#### Vinyltri (methylethylketoxime) silane:

Species: Rabbit Result: Irreversible effects on the eye Remarks: On basis of test data.

#### N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Species: Rabbit Result: Irreversible effects on the eye Remarks: On basis of test data.

#### Methyltri(ethylmethylketoxime)silane isomers and oligomers:

Species: Rabbit Result: Irritation to eyes, reversing within 7 days

### **STORM GUARD 920 CLEAR**



Version	Revision Date:	SDS Number:	Date of last issue: 06/23/2016
1.1	11/13/2016	4119664-00002	Date of first issue: 06/23/2016

Remarks: Based on data from similar materials

### Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

### Respiratory or skin sensitization

### Skin sensitization

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

### Ingredients:

### Silicon dioxide:

Assessment: Does not cause skin sensitization.

Test Type: Skin: test type not specified Species: Guinea pig Result: negative Remarks: Information taken from reference works and the literature.

#### Methyltri(ethylmethylketoxime)silane:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test Species: Guinea pig Remarks: On basis of test data.

#### Vinyltri (methylethylketoxime) silane:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test Species: Guinea pig Remarks: Based on data from similar materials

### N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test Species: Guinea pig Remarks: Information taken from reference works and the literature.

### Methyltri(ethylmethylketoxime)silane isomers and oligomers:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test



rsion	Revision Date: 11/13/2016	SDS Number: 4119664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
	ies: Guinea pig arks: Based on data fro	m similar materials	
Germ	n cell mutagenicity		
Not c	lassified based on avai	lable information.	
Ingre	dients:		
Silico	on dioxide:		
Geno	toxicity in vitro	: Result: nega Remarks: In literature.	tive formation taken from reference works and the
Geno	toxicity in vivo	Result: nega	Route: Ingestion tive formation taken from reference works and the
	n cell mutagenicity - ssment		ng did not show any mutagenic effects.
Meth	yltri(ethylmethylketo	(ime)silane:	
	toxicity in vitro	: Test Type: M Result: nega	Autagenicity (in vitro mammalian cytogenetic tes tive า basis of test data.
Vinvl	tri (methylethylketoxi	me) silane:	
-	toxicity in vitro	: Test Type: B Result: nega	Bacterial reverse mutation assay (AMES) tive n basis of test data.
Geno	toxicity in vivo	Species: Mo Application F Result: nega	Route: Intraperitoneal injection
	n cell mutagenicity - ssment	: Animal testir	ng did not show any mutagenic effects.
Dime	thylbis[(1-oxoneodeo	yl)oxy]stannane:	
	toxicity in vitro	: Test Type: B	acterial reverse mutation assay (AMES) CD Test Guideline 471 tive
Carci	inogenicity		
	lassified based on avail	No ingredient o	f this product present at levels greater than or s identified as probable, possible or confirmed gen by IARC.



Version 1.1	Revision Date: 11/13/2016	-	98 Number: 19664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016	
0	SHA	e		product present at levels greater than or ntified as a carcinogen or potential A.	
N	ſP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoge by NTP.			
	productive toxicity spected of damaging the u	nbo	rn child.		
Inc	<u>redients:</u>				
Me	thyltri(ethylmethylketoxi	me)	silane:		
Eff	ects on fertility	:		: Ingestion fects on fertility.	
Eff	ects on fetal development	:	reproduction/deve Species: Rat, ma Application Route	: Ingestion fects on fetal development.	
	productive toxicity - As- ssment	:		dverse effects on sexual function and fertility, nt, based on animal experiments.	
N-(	(3-(Trimethoxysilyl)propy	l)etl	nylenediamine:		
	ects on fertility	:	Test Type: Comb	fects on fertility.	
Eff	ects on fetal development	:	reproduction/deve Application Route	fects on fetal development.	
	productive toxicity - As- ssment	:		dverse effects on sexual function and fertility, at, based on animal experiments.	
Dir	methylbis[(1-oxoneodecy	l)ox	y]stannane:		
Re	productive toxicity - As- ssment	:		f adverse effects on development, based on ts.	

### **STORM GUARD 920 CLEAR**



Version	Revision Date:	SDS Number:	Date of last issue: 06/23/2016
1.1	11/13/2016	4119664-00002	Date of first issue: 06/23/2016

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Blood) through prolonged or repeated exposure if swallowed.

### Ingredients:

### Methyltri(ethylmethylketoxime)silane:

Routes of exposure: Ingestion Target Organs: Blood Assessment: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

### Vinyltri (methylethylketoxime) silane:

Routes of exposure: Ingestion Target Organs: Blood Assessment: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

### N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Routes of exposure: Ingestion Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

#### Methyltri(ethylmethylketoxime)silane isomers and oligomers:

Routes of exposure: Ingestion Target Organs: Blood Assessment: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

#### Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Routes of exposure: Ingestion Target Organs: Immune system, Central nervous system Assessment: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

#### Repeated dose toxicity

### Ingredients:

#### Methyltri(ethylmethylketoxime)silane:

Species: Rat Application Route: Ingestion Target Organs: Blood Remarks: On basis of test data.

### Vinyltri (methylethylketoxime) silane:

Species: Rat Application Route: Ingestion

### **STORM GUARD 920 CLEAR**



Version	Revision Date:	SDS Number:	Date of last issue: 06/23/2016
1.1	11/13/2016	4119664-00002	Date of first issue: 06/23/2016

Target Organs: Blood Remarks: Based on data from similar materials

### N-(3-(Trimethoxysilyl)propyl)ethylenediamine:

Application Route: Ingestion Remarks: On basis of test data.

### Methyltri(ethylmethylketoxime)silane isomers and oligomers:

Species: Rat Application Route: Ingestion Target Organs: Blood Remarks: Based on data from similar materials

### Dimethylbis[(1-oxoneodecyl)oxy]stannane:

Species: Rat NOAEL: < 1.6 mg/kg Application Route: Ingestion Exposure time: 90 Days Remarks: Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### **Further information**

### Product:

Remarks: During use of the material, small amounts of methylethylketoxime (MEKO) will be released. Rodents exposed to chronic MEKO inhalation throughout their lifetimes showed significant increases in liver tumor rates.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

### Ingredients:

#### Methyltri(ethylmethylketoxime)silane:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae	:	ErC50 (Selenastrum capricornutum (green algae)): 94 mg/l Exposure time: 72 h Method: OECD Test Guideline 201



rsion	Revision Date: 11/13/2016		0S Number: 19664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
			Remarks: Based	l on data from similar materials
Ecoto	kicology Assessmen	t		
	aquatic toxicity	:	This product has	no known ecotoxicological effects.
Vinyltr	i (methylethylketoxi	me) s	silane:	
Toxicity	y to fish	:	Exposure time: 9	chus mykiss (rainbow trout)): > 120 mg/l )6 h Test Guideline 203
			Exposure time: 9	tipes (Orange-red killifish)): > 100 mg/l )6 h Test Guideline 203
N-(3-(1	rimethoxysilyl)prop	yl)etl	hylenediamine:	
Toxicity	y to fish	:	Exposure time: 9	o (zebra fish)): 597 mg/l )6 h e 67/548/EEC, Annex V, C.1.
	/ to daphnia and other invertebrates	r:	Exposure time: 4	sp. (Water flea)): 81 mg/l 8 h e 67/548/EEC, Annex V, C.2.
Toxicity	/ to algae	:	Exposure time: 7	rum capricornutum (green algae)): 8.8 mg/l '2 h Test Guideline 201
			Exposure time: 7	rum capricornutum (green algae)): 3.1 mg/l '2 h Test Guideline 201
	y to daphnia and other invertebrates (Chron ity)		NOEC (Daphnia Exposure time: 2	sp. (Water flea)): > 1 mg/l 1 d
Toxicity	/ to microorganisms	:	EC50 (Pseudom Exposure time: 1 Method: DIN 38	
Dimeth	nylbis[(1-oxoneodec	yl)ox	y]stannane:	
Toxicity	y to fish	:	Exposure time: 9 Method: OECD	o (zebra fish)): > 100 mg/l )6 h Test Guideline 203 on data from similar materials
	/ to daphnia and other invertebrates	r:	Exposure time: 4 Method: OECD	magna (Water flea)): 17 mg/l 8 h Fest Guideline 202 on data from similar materials
Toxicity	/ to algae	:	ErC50 (Desmod	esmus subspicatus (green algae)): 37 mg/l



ersion 1	Revision Date: 11/13/2016	SDS Number: 4119664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
			72 h Test Guideline 201 d on data from similar materials
		Exposure time: Method: OECD	lesmus subspicatus (green algae)): 5.7 mg 72 h Test Guideline 201 d on data from similar materials
Persi	stence and degrada	bility	
Ingre	dients:		
Methy	yltri(ethylmethylketc	oxime)silane:	
Biode	gradability	Biodegradation: Exposure time: Method: OECD	
Vinyl	tri (methylethylketo)	kime) silane:	
Biode	egradability	Biodegradation: Exposure time:	
Stabil	lity in water	-	lf life: < 1 min (2 °C) Test Guideline 111
N-(3-	(Trimethoxysilyl)pro	pyl)ethylenediamine:	
Biode	gradability	Biodegradation:	dily biodegradable. :  39 % Test Guideline 301A
Stabil	lity in water		lf life: 0.025 h (24.7 °C) pH: 7 Test Guideline 111
Dime	thylbis[(1-oxoneode	cyl)oxy]stannane:	
Biode	egradability	Biodegradation: Exposure time: Method: OECD	
Bioac	cumulative potentia	al	
Ingre	<u>dients:</u>		
Methy	yltri(ethylmethylketc	oxime)silane:	
	ion coefficient: n- ol/water	: log Pow: 11.2	

### **STORM GUARD 920 CLEAR**



Version 1.1	Revision Date: 11/13/2016	SDS Number: 4119664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
N-(3-	(Trimethoxysilyl)pro	pyl)ethylenediamine:	
	tion coefficient: n- nol/water	: log Pow: -0.3	

Mobility in soil

No data available

Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Resource Conservation and Recovery Act (RCRA)	:	This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded in its purchased form.
Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

#### **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)

# **STORM GUARD 920 CLEAR**



	411	9664-00002	Date of first issue:	06/23/2016
n-Hexane		110-54-3	5000	*
Methanol		67-56-1	5000	*
Ethylenediamine *: Calculated RQ ex	acada raacan	107-15-3	5000	*
		-		
	By Hazardous		eportable Quantity	O de de te de se de set l
Ingredients		CAS-No.	Component RQ (lbs)	Calculated product I (lbs)
Ethylenediamine		107-15-3	5000	*
*: Calculated RQ ex	ceeds reasona	ably attainable u	pper limit.	
SARA 302 Extreme	ely Hazardous	Substances T	hreshold Planning Q	uantity
This material does r	not contain any	components w	ith a section 302 EHS	TPQ.
SAR A 311/312 Haz		Acute Health H		
		Chronic Health		
SAR A 313	:		oes not contain any ch	
			mbers that exceed the stablished by SARA	
		roporting lovele		
US State Regulation	ons			
-				
Pennsylvania Righ				70404 67 0
Silicon di		oxy-terminated		70131-67-8 7631-86-9
	ethylmethylket	oxime)silane		22984-54-9
California Prop. 65				
Camerina i repi ce			•	hemical known in the
		State of Califor	is product contains a c nia to cause birth defeo	
			nia to cause birth defe	
Methanol	I	State of Califor harm.	•	
Methanol California List of H	lazardous Sul	State of Califor harm.	nia to cause birth defe	cts or other reproduct
Methanol California List of H Silicon di	<b>lazardous Sul</b> oxide	State of Califor harm. bstances	nia to cause birth defe	
Methanol California List of H Silicon di California Permiss	<b>lazardous Sul</b> oxide i <b>ble Exposure</b>	State of Califor harm. bstances	nia to cause birth defe	cts or other reproducti 7631-86-9
Methanol California List of H Silicon di California Permiss Silicon di	<b>lazardous Sul</b> oxide i <b>ble Exposure</b> oxide	State of Califor harm. bstances e Limits for Cha	nia to cause birth defeo 67-56-1 emical Contaminants	ts or other reproduct 7631-86-9 7631-86-9
Methanol California List of H Silicon di California Permiss Silicon di The ingredients of	<b>lazardous Sul</b> oxide i <b>ble Exposure</b> oxide	State of Califor harm. bstances e Limits for Cha are reported in	nia to cause birth defe 67-56-1 emical Contaminants the following invento	7631-86-9 7631-86-9 7631-86-9
Methanol California List of H Silicon di California Permiss Silicon di	<b>lazardous Sul</b> oxide i <b>ble Exposure</b> oxide	State of Califor harm. bstances e Limits for Cha are reported in For purchases	nia to cause birth defe 67-56-1 emical Contaminants the following invento from Dow Corning EU	ts or other reproducti 7631-86-9 7631-86-9 <b>pries:</b> legal entities, all
Methanol California List of H Silicon di California Permiss Silicon di The ingredients of	<b>lazardous Sul</b> oxide i <b>ble Exposure</b> oxide	State of Califor harm. bstances e Limits for Cha are reported in For purchases ingredients are	nia to cause birth defe 67-56-1 emical Contaminants the following invento from Dow Corning EU currently pre/registere	ts or other reproducti 7631-86-9 7631-86-9 <b>pries:</b> legal entities, all d or exempt under
Methanol California List of H Silicon di California Permiss Silicon di The ingredients of	<b>lazardous Sul</b> oxide i <b>ble Exposure</b> oxide	State of Califor harm. bstances c Limits for Char are reported in For purchases ingredients are REACH. Pleas	nia to cause birth defe 67-56-1 emical Contaminants the following invento from Dow Corning EU currently pre/registere e refer to section 1 for	ts or other reproducti 7631-86-9 7631-86-9 <b>pries:</b> legal entities, all d or exempt under recommended uses. F
Methanol California List of H Silicon di California Permiss Silicon di The ingredients of	<b>lazardous Sul</b> oxide i <b>ble Exposure</b> oxide	State of Califor harm. bstances e Limits for Che are reported in For purchases ingredients are REACH. Pleas purchases from intention to exp	nia to cause birth defer 67-56-1 emical Contaminants the following inventor from Dow Corning EU currently pre/registere e refer to section 1 for non-EU Dow Corning for into EEA please co	ts or other reproducti 7631-86-9 7631-86-9 <b>ories:</b> legal entities, all d or exempt under recommended uses. I legal entities with the
Methanol California List of H Silicon di California Permiss Silicon di The ingredients of	<b>lazardous Sul</b> oxide i <b>ble Exposure</b> oxide	State of Califor harm. bstances c Limits for Char are reported in For purchases ingredients are REACH. Pleas purchases from	nia to cause birth defer 67-56-1 emical Contaminants the following invento from Dow Corning EU currently pre/registere e refer to section 1 for non-EU Dow Corning ort into EEA please co	ts or other reproducti 7631-86-9 7631-86-9 <b>ories:</b> legal entities, all d or exempt under recommended uses. I legal entities with the
Methanol California List of H Silicon di California Permiss Silicon di The ingredients of REACH	<b>lazardous Sul</b> oxide i <b>ble Exposure</b> oxide	State of Califor harm. bstances e Limits for Cha are reported in For purchases ingredients are REACH. Pleas purchases from intention to exp representative/	nia to cause birth defer 67-56-1 emical Contaminants the following invento from Dow Corning EU currently pre/registere e refer to section 1 for n non-EU Dow Corning ort into EEA please co local office.	7631-86-9 7631-86-9 7631-86-9 ories: legal entities, all d or exempt under recommended uses. I legal entities with the ntact your DC
Methanol California List of H Silicon di California Permiss Silicon di The ingredients of	<b>lazardous Sul</b> oxide i <b>ble Exposure</b> oxide	State of Califor harm. bstances e Limits for Cha are reported in For purchases ingredients are REACH. Pleas purchases from intention to exp representative/ All chemical su	nia to cause birth defer 67-56-1 emical Contaminants the following invento from Dow Corning EU currently pre/registere e refer to section 1 for non-EU Dow Corning ort into EEA please co	7631-86-9 7631-86-9 7631-86-9 ories: legal entities, all d or exempt under recommended uses. I legal entities with the ntact your DC


IECSC : All ingredients listed or exempt.

### **STORM GUARD 920 CLEAR**



Version 1.1	Revision Date: 11/13/2016		DS Number: 19664-00002	Date of last issue: 06/23/2016 Date of first issue: 06/23/2016
ENCS	S/ISHL	:	All components a inventory listing.	are listed on ENCS/ISHL or exempted from
KECI		:	All ingredients lis	ted, exempt or notified.
PICC	S	:	All ingredients lis	ted or exempt.
DSL		:	1999 and NSNR	stances in this product comply with the CEPA and are on or exempt from listing on the stic Substances List (DSL).
TCSI		:	All ingredients lis	ted or exempt.

### **SECTION 16. OTHER INFORMATION**



### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH NIOSH REL	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA		Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation,

### **STORM GUARD 920 CLEAR**



Version	Revision Date:	SDS Number:	Date of last issue: 06/23/2016
1.1	11/13/2016	4119664-00002	Date of first issue: 06/23/2016

and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR -No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 11/13/2016

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8